

SAVE IMPORTANT PAPERS

**3" H.D. TRIMMER : SCHEMATIC, ACCESSORIES AND DIAMOND BLADES**



BODI COMPANY INC.  
5530 COMMERCIAL BLVD.  
WINTER HAVEN, FL. 33880  
PH. 863.551.3388  
FAX. 863.551.3399

**BODI COMPANY, INC.**

**3" GELCOAT NOTCH TRIMMER**

PH. 863.551.3388

FAX 863.551.3399

This unique tool notches the gelcoat only. Stops stress cracks in gelcoat caused by guard rail screws. Base comes preset with 3/4" offset / fence.



BLADE SET .020 CUTTING DEPTH



TOOL STEEL BASE

Part No.	Description	RPM
80-3HDN	3" Notch Trimmer	13,000


Part No.	Description
72S3A4	3" X 1/16" X 3/4" S.S. Blade
72S3B4	3" X 3/32" X 3/4" S.S. Blade



72C3A4	3" X 1/16" X 3/4" CR Diamond Blade
72C3B4	3" X 3/32" X 3/4" CR Diamond Blade



BODI COMPANY, INC.  
5530 COMMERCIAL BLVD.  
WINTER HAVEN, FL 33880



BODI COMPANY, INC.  
5530 COMMERCIAL BLVD.  
WINTER HAVEN, FL 33880

BODI COMPANY, INC.

3" H.D. TRIMMER PARTS LIST

PH. 863.551.3388  
FAX. 863.551.3399

PART NO.	DESCRIPTION	Q'TY PER TOOL
95-00A051	Cross-recessed Pan Head Machine Screw M5 x 10L	3
95-00A502	Sunk Key 4 x 4 x 9.5	2
95-00A507	Lock Plate	1
95-03A468	Lock Ring	1
95-03A508	Spring Lock Washer M5	3
95-05A846	Disc Lock A	1
95-10A098	Lock Nut	1
95-10A099	Wheel Guard	1
95-10A100	Bearing Cover	1
95-10A101	Spacer 19 x 28 x 2	1
95-90A078	Rubber Pad Ass'y	1 set
95-91A054	Bearing Set Screw Ass'y	1 set
95-01A916	Filter	1
95-06A715	Cross-recessed Pan Head Machine Screw M5 x 8L	1
95-10A103	Retaining Ring C-15	1
95-10C104	Housing	1
95-96A013	Filter Ass'y	1 set
95-10A107	Sunk Key 3 x3 x8	1
95-10A113	Pinion	1
95-96A015	Motor Sub Ass'y	1 set
95-00A468	Ball Bearing 608ZZ	2
95-00A496	Spring Pin 2.5 x 6L	1
95-03A933	Ball Bearing 606ZZ	1
95-06A121	Cylinder	1
95-06A123	Blade (set of 4)	1
95-10A108	Rotor	1
95-10A109	End Plate A	1
95-10A110	Cap	1
95-10A111	End Plate B	1
95-10A112	Spacer 8 x 11 x 6	1
95-00A539	Ball Bearing 6002ZZ	1
95-03A933	Ball Bearing 606ZZ	1
95-10A115	Spindle	1
95-10A116	Gear	1
95-10A117	Retaining Ring GV-15	1

5530 COMMERCIAL BLVD. WINTER HAVEN, FL. 33880